

fuma[®] - Bautech

// STRONG PARTNER. STRONG PROFILE.



// SLOPE & GLASS PROFILES
FOR SHOWER INSTALLATIONS & ACCESSORIES



**WALL PROFILES
FOR GLASS PARTITIONS**

**FLOOR SLOPE PROFILES
FOR GLASS PARTITIONS**

**SHOWER CHANNEL
FD-LINE**

**DECORATIVE
WALL PROFILES**

// ELEGANT SOLUTIONS FOR FLOOR-LEVEL SHOWERS

fuma-Bautec shower profiles are more than just practical solutions for floor-level showers. They combine outstanding functionality with an elegant appearance, meeting the highest standards in both design and performance.

To compensate for floor gradients, profiles are available for installation on both walls and floors. The range also includes slope compensation profiles and tileable wall and floor profiles for glass partition installations with glass thicknesses of up to 12 mm. Completing the system are glass support profiles designed for retrofit installations.

// YOUR BENEFITS


- aesthetic transition from the shower floor to the bathroom floor
- elegant and visually appealing wall finishing solution
- reduced installation time
- protective and decorative in one system

fuma // DRAIN – WALL SLOPE PROFILES

Stainless steel 1.4301 / 304, for floor-level shower facilities, 2 % slope

Profile left


Length in cm	Item no.	Height (H1) in mm	Height (H2) in mm
98.0	FWA-098-08/LI	8.0	24.0
98.0	FWA-098-10/LI	10.0	24.0
98.0	FWA-098-11/LI	11.0	24.0
148.0	FWA-148-08/LI	8.0	32.0
148.0	FWA-148-10/LI	10.0	32.0
148.0	FWA-148-11/LI	11.0	32.0
200.0	FWA-200-08/LI	8.0	40.0
200.0	FWA-200-10/LI	10.0	40.0
200.0	FWA-200-11/LI	11.0	40.0

**left version**
(view to drainage channel)


brushed

**Profile left**

Length in cm	Item no.	Height (H1) in mm	Height (H2) in mm
98.0	FWA-098-10/LI-SW	10.0	24.0
98.0	FWA-098-11/LI-SW	11.0	24.0
148.0	FWA-148-10/LI-SW	10.0	32.0
148.0	FWA-148-11/LI-SW	11.0	32.0

**left version**
(view to drainage channel)color coated
black matt
RAL 9005**Profile right**


Length in cm	Item no.	Height (H1) in mm	Height (H2) in mm
98.0	FWA-098-08/RE	8.0	24.0
98.0	FWA-098-10/RE	10.0	24.0
98.0	FWA-098-11/RE	11.0	24.0
148.0	FWA-148-08/RE	8.0	32.0
148.0	FWA-148-10/RE	10.0	32.0
148.0	FWA-148-11/RE	11.0	32.0
200.0	FWA-200-08/RE	8.0	40.0
200.0	FWA-200-10/RE	10.0	40.0
200.0	FWA-200-11/RE	11.0	40.0

**right version**
(view to drainage channel)

brushed

**Profile right**

Length in cm	Item no.	Height (H1) in mm	Height (H2) in mm
98.0	FWA-098-10/RE-SW	10.0	24.0
98.0	FWA-098-11/RE-SW	11.0	24.0
148.0	FWA-148-10/RE-SW	10.0	32.0
148.0	FWA-148-11/RE-SW	11.0	32.0

**right version**
(view to drainage channel)color coated
black matt
RAL 9005

fuma // DRAIN – FLOOR SLOPE PROFILES

Stainless steel 1.4301/304, for floor-level shower facilities, 2 % slope

Profile left

Length in cm	Item no.	Height (H1) in mm	Height (H2) in mm
98.0	FBO-098-08/LI	8.0	24.0
98.0	FBO-098-10/LI	10.0	24.0
98.0	FBO-098-11/LI	11.0	24.0
148.0	FBO-148-08/LI	8.0	32.0
148.0	FBO-148-10/LI	10.0	32.0
148.0	FBO-148-11/LI	11.0	32.0
200.0	FBO-200-10/LI	10.0	40.0
200.0	FBO-200-11/LI	11.0	40.0



left version
(view to drainage channel)

brushed

**Profile left**

Length in cm	Item no.	Height (H1) in mm	Height (H2) in mm
98.0	FBO-098-10/LI-SW	10.0	24.0
98.0	FBO-098-11/LI-SW	11.0	24.0
148.0	FBO-148-10/LI-SW	10.0	32.0
148.0	FBO-148-11/LI-SW	11.0	32.0
200.0	FBO-200-10/LI-SW	10.0	40.0
200.0	FBO-200-11/LI-SW	11.0	40.0




left version
(view to drainage channel)

color coated
black matt
RAL 9005

**Profile right**

Length in cm	Item no.	Height (H1) in mm	Height (H2) in mm
98.0	FBO-098-08/RE	8.0	24.0
98.0	FBO-098-10/RE	10.0	24.0
98.0	FBO-098-11/RE	11.0	24.0
148.0	FBO-148-08/RE	8.0	32.0
148.0	FBO-148-10/RE	10.0	32.0
148.0	FBO-148-11/RE	11.0	32.0
200.0	FBO-200-10/RE	10.0	40.0
200.0	FBO-200-11/RE	11.0	40.0




right version
(view to drainage channel)

brushed

**Profile right**

Length in cm	Item no.	Height (H1) in mm	Height (H2) in mm
98.0	FBO-098-10/RE-SW	10.0	24.0
98.0	FBO-098-11/RE-SW	11.0	24.0
148.0	FBO-148-10/RE-SW	10.0	32.0
148.0	FBO-148-11/RE-SW	11.0	32.0
200.0	FBO-200-10/RE-SW	10.0	40.0
200.0	FBO-200-11/RE-SW	11.0	40.0



right version
(view to drainage channel)

color coated
black matt
RAL 9005







fuma // DRAIN – FLOOR SLOPE PROFILES

Stainless steel 1.4301 / 304, for glass partitions, 2 % slope

Profile left

Length in cm	Item no.	Height (H1) in mm	Height (H2) in mm
100.0	FGLAS-100-11/LI	11.0	25.0
120.0	FGLAS-120-11/LI	11.0	28.0
150.0	FGLAS-150-11/LI	11.0	33.0
200.0	FGLAS-200-11/LI	11.0	40.0



brushed





left version
(view to drainage channel)

internal dimension: 13 mm

Profile left

Length in cm	Item no.	Height (H1) in mm	Height (H2) in mm
100.0	FGLAS-100-11/LI-SW	11.0	25.0
120.0	FGLAS-120-11/LI-SW	11.0	28.0
150.0	FGLAS-150-11/LI-SW	11.0	33.0
200.0	FGLAS-200-11/LI-SW	11.0	40.0



color coated
black matt
RAL 9005




left version
(view to drainage channel)

internal dimension: 13 mm

Profile right

Length in cm	Item no.	Height (H1) in mm	Height (H2) in mm
100.0	FGLAS-100-11/RE	11.0	25.0
120.0	FGLAS-120-11/RE	11.0	28.0
150.0	FGLAS-150-11/RE	11.0	33.0
200.0	FGLAS-200-11/RE	11.0	40.0



brushed




right version
(view to drainage channel)

internal dimension: 13 mm

Profile right

Length in cm	Item no.	Height (H1) in mm	Height (H2) in mm
100.0	FGLAS-100-11/RE-SW	11.0	25.0
120.0	FGLAS-120-11/RE-SW	11.0	28.0
150.0	FGLAS-150-11/RE-SW	11.0	33.0
200.0	FGLAS-200-11/RE-SW	11.0	40.0



color coated
black matt
RAL 9005



right version
(view to drainage channel)

internal dimension: 13 mm

fuma // DRAIN - U-PROFILES

Stainless steel 1.4301 / 304, for glass partitions for the floor / wall area - without slope



Internal dimension: 11 mm		Internal dimension: 13 mm	
Length in cm	Item no.	Length in cm	Item no.
220.0	FU-S 1411	220.0	FU-S 1413
Internal dimension: 11 mm		Internal dimension: 13 mm	
Length in cm	Item no.	Length in cm	Item no.
220.0	FU-B 1411	220.0	FU-B 1413
Internal dimension: 11 mm		Internal dimension: 13 mm	
Length in cm	Item no.	Length in cm	Item no.
220.0	FU-C 1411-SW	220.0	FU-C 1413-SW

internal dimension 11 mm:
unwinding (external dimensions):
14 x 14 x 14 mm

internal dimension 13 mm:
unwinding (external dimensions):
14 x 16 x 14 mm

thickness: 1.5 mm

brushed




glossy



color coated
black matt
RAL 9005


fuma // DRAIN - U-PROFILES

Stainless steel 1.4301 / 304, for glass partitions (up to 12 mm) for the floor / wall area - without slope



Internal dimension: 13 mm			
Length in cm	Item no.	Height (H1) in mm	Height (H2) in mm
220.0	FGLAS-220-20	20.0	20.0


brushed



Internal dimension: 13 mm			
Length in cm	Item no.	Height (H1) in mm	Height (H2) in mm
220.0	FGLAS-220-20-SW	20.0	20.0

color coated
black matt
RAL 9005





fuma // DRAIN - DECORATIVE WALL PROFILES

Stainless steel 1.4301/304, for a clear connection to FWA and FBO profiles - without slope

Width: 24 mm

Length in cm	Item no.
125.0	FDES 240-125

Width: 32 mm

Length in cm	Item no.
125.0	FDES 320-125

Width: 40 mm

Length in cm	Item no.
125.0	FDES 400-125

brushed



Width: 24 mm

Length in cm	Item no.
125.0	FDEC 240-125-SW

Width: 32 mm

Length in cm	Item no.
125.0	FDEC 320-125-SW

Width: 40 mm

Length in cm	Item no.
125.0	FDEC 400-125-SW

color coated
black matt
RAL 9005




fuma // DRAIN - 3D CORNERS FOR SHOWER SLOPED PROFILES

NBR rubber and PE fleece coating

Left

Item no.	Height in mm
FABE 3D-20L	20
FABE 3D-28L	28

Leg length: 120 mm



Right

Item no.	Height in mm
FABE 3D-20R	20
FABE 3D-28R	28

Leg length: 120 mm



fuma // DRAIN – SHOWER CHANNEL FD-LINE COMPLETE SET


Stainless steel brushed

Length in mm	Item no.
600	FD-LINE-FM-600
700	FD-LINE-FM-700
800	FD-LINE-FM-800
900	FD-LINE-FM-900
1000	FD-LINE-FM-1000
1200	FD-LINE-FM-1200



// DESCRIPTION


- complete set ready for installation up to visual dimension 1,200 mm
- height-adjustable channel body
- grating for use as tile trough or closed stainless steel
- cover with brushed finish
- installation dimensions: 120 mm x 70 mm
- channel width: 77 mm
- siphon: ABS, high impact resistant
- sealing: pre-assembled
- tile thickness: 6 - 18 mm
- drain DN 40 / seal water level: 28 mm
- Perfect for renovations with low installation height



// INSTALLATION OPTIONS



// DRAINAGE PERFORMANCE



fuma // DRAIN – DRAINSET DN 50 HORIZONTAL


incl. mounting accessories

Item no.
FD-LINE-FM-DN50-horizontal

// DESCRIPTION

Set consisting of drain DN 50 and 2 EPS elevations to compensate for the higher construction, incl. motage accessories.

// DRAINAGE PERFORMANCE



fuma // DRAIN – DRAIN DN 50 VERTICAL

incl. mounting accessories

Item no.
FD-LINE-FM-DN50-vertical

// DRAINAGE PERFORMANCE





fuma-Bautec GmbH & Co. KG

Carl-Benz-Straße 9 / 59348 Lüdinghausen / GER

Tel. +49 2591 947480 / Fax +49 2591 9474850

kontakt@fuma-bautec.com / www.fuma-bautec.com